

**(12) PATENT**  
**(19) AUSTRALIAN PATENT OFFICE**

**(11) Application No. AU 199943488 C**  
**(10) Patent No. 746764**

(54) Title  
Gaming console with transparent sprites

(51)<sup>6</sup> International Patent Classification(s)  
**G07F** 17/34 (2006.01) 20060101AFI2006040  
G07F 17/34 8BMEP

(21) Application No: 199943488 (22) Application Date: 1999 .08 .10

(30) Priority Data

(31) Number (32) Date (33) Country  
PP5184 1998 .08 .10 AU

(43) Publication Date : 2000 .03 .02  
(43) Publication Journal Date : 2000 .03 .02  
(44) Accepted Journal Date : 2002 .05 .02  
(44) Amended Journal Date : 2007 .12 .13

(71) Applicant(s)  
Aristocrat Technologies Australia Pty Ltd

(72) Inventor(s)  
David Timperley

(74) Agent/Attorney  
Freehills Patent and Trade Mark Attorneys,MLC Centre,Martin Place,SYDNEY NSW 2000

(56) Related Art  
US 5752881  
US 5395111

ABSTRACT

The present invention provides a gaming console 40 having display means 41, and game control means 100 arranged to control images displayed on the display means 41. The game control means 100 are arranged to play a game wherein a plurality of symbols 43 are randomly selected and displayed on the display means 41 and, if a winning combination results, the console 40 pays a prize. The console 40 is characterised in that the displayed images include a first image component 31 which displays basic game features and a second image component 50 which displays image features which appear superimposed on the first image component 31. The second image component 50 is transparent, whereby the first image component 31 is visible through the second image component 50 under the control of the control means 100.



**AUSTRALIA****Patents Act 1990**

Technologies Australia  
**Aristocrat Leisure Industries Pty Ltd**

**ORIGINAL****COMPLETE SPECIFICATION  
STANDARD PATENT**

*Invention Title:*

*Gaming console with transparent sprites*

The following statement is a full description of this invention  
including the best method of performing it known to us:-

### **Introduction**

The present invention relates to gaming machines of the type generally referred to as slot machines, fruit machines or poker machines, and in particular the invention provides an improvement to a game played on such a machine.

Players who regularly play gaming machines quickly tire of particular games and therefore it is necessary for manufacturers of these machines to come up with innovative game features that add interest to the games provided on such machines in order to keep the players amused and therefore willing to continue playing the game.

### **Description of the Prior Art**

Gaming or poker machines have been well known for many years and have more recently gained considerable popularity, with quite substantial amounts of money wagered on these machines. There is a growing tendency for Governments to legalise the use of gaming machines by licensing operators, with resulting revenue gains through licence fees and taxation of monies invested. The licensed operation of gaming machines is the subject of legislation and regulation. This regulation almost always dictates a minimum percentage payout for a gaming machine. For example, a minimum of 85% of monies invested must be returned as winnings, and manufacturers of gaming machines therefore must design their machines around these regulatory controls.

With the growth that has occurred in the gaming machine market there is intense competition between manufacturers to supply the various existing and new venues. When selecting a supplier of gaming machines, the operator of a venue will often pay close attention to the popularity of various games with their patrons. Therefore, gaming machine manufacturers are keen to devise games which are popular with players, as a mechanism for improving sales.

Many various strategies have been tried in the past to make games more enticing to players, including the commonly known double-up feature, whereby, if a player wins a particular game, they can then risk the winnings of that game in a double-or-nothing mode in which they gamble on a subsequent, and often different, game such as whether a red or black card will be the next card drawn.

Other techniques adopted in the past have been to provide complexity in the numbering and combinations of indicia which would result in a win, thereby hoping to convince the player that there is a greater chance of winning and to keep their interest in a particular game.

5 Many gaming control authorities do not permit images to be superimposed over a game image if they obliterate a part of the game image that would be used to display the outcome of the game. In the past, game designers were therefore forced to squeeze auxiliary images into small spaces on the periphery of the screen or to make the game area of the screen proportionally smaller, however neither of these are desirable options as they  
 10 reduce the attractiveness of the game for the player. On the one hand if feature indicators are small they might not be seen by the player and the player might not take advantage of a feature currently on offer by the console. On the other hand if the main game image is too small it will not be attractive to players.

#### **Summary of the Invention**

15 According to a first aspect, the present invention includes a gaming console having an electronic display means, and a game control means arranged to control images displayed on the display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the display means and, if a winning combination results, the gaming console pays a prize, the game being  
 20 characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the  
 25 control means, wherein the first image component and the second image component are displayed on the same electronic display and wherein the transparency of the second image component is varied when the second image component is displayed on the display means.

The second image component can take various forms such as an animated or fixed character, a window or a graphic and may be used to indicate a feature game or special  
 30 prize, or a message to the player about an available option or feature, a condition or mode of the console, or a service message broadcast by the establishment in which the console is

installed. Examples of second image components include sprites which appear during games and move about the screen to indicate special or bonus symbols, function indicators such as "reserved" indicators and message text or boxes containing message text broadcasting service messages such as operating hours, coming attractions (theatre performances etc.) or bonus prize periods.

The transparency of the second image component may be varied dependent on the plurality of symbols that have randomly selected and displayed on the electronic display means when the second image component is displayed. The second image may be varied in transparency from "solid" where the underlying first image is totally obliterated, to a faint ghost like image where the underlying image is clearly visible through the second image.

The second image may be static in the case of a "reserved" lock or service message, or may move about the screen as in the case of a sprite indicating bonus symbols in a spinning reel game. The image may also be animated such that the sprite may change shape or attitude, for example walk or run about the screen with moving arms pointed at feature symbols. Other animated effects may be used, for example in a game with a vampire or ghoulish theme, the "reserved" sign may drip blood, with an image of a growing puddle of blood at the bottom of the screen.

In cases where the second image takes the form of an animated character, it may further be animated such that it "reacts" to certain conditions. For example, in a game with a ghoulish theme, the second image may appear to be frightened when it is situated next to a certain game symbol, for example a ghoul. In other cases, when the second image is acting as a wild card symbol, it may appear to be happy and excited when it causes winning combinations to occur.

The present invention is applicable to video gaming consoles of the traditional poker machine style (also known as slot machines or fruit machines) in which the display means comprises a video simulation of a set of rotatable reels, each carrying a plurality of symbols. The Invention is equally applicable to video draw poker consoles in which a poker hand is displayed on a screen, the cards of the hand being selected from a standard 52 or 53 card deck.

(The next pages are pages 4a-4d)

The occurrence of the second image may be triggered by the occurrence of a special symbol or a predetermined combination of special symbols displayed in a particular arrangement.

In cases where the second image take the form of an animated character and acts as  
 5 wild card symbol, the second image may be moved from one location to another via an animated walking motion.

According to a second aspect, the present invention includes a gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a  
 10 game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are  
 15 additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display, and wherein the game control means prevents play of the game when the second image component is displayed on the  
 20 display means.

The second image component may include a broadcast message received by the console and the second image component may be static.

According to a third aspect, the present invention includes a gaming console having an electronic display means, and a game control means arranged to control images  
 25 displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-  
 30 basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent,

whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display, and wherein the second image component includes a broadcast message received by the console.

5 According to a fourth aspect, the invention includes a gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the  
10 game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under  
15 the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display, and wherein the second image component is used to indicate a message to the player about an available option or feature on the gaming console.

The game control means may prevent play of the game when the second image component is displayed on the display means.  
20

According to a fifth aspect, the present invention includes a gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed in predefined  
25 symbol display positions on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterized in that displayed images include a first image component comprising symbols which display basic game features, and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game  
30 features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control

means, wherein the first image component and second image component are displayed on the same electronic display, the characteristics of a basic game image over which the second image component is superimposed is changed by the game control means such that the result of a game played on the console is changed in at least some plays of the game by the second image component.

The second image component may be unconstrained by the symbol display positions and when appearing, may move apparently randomly across the display to one or more superimposed positions above the first image component before game control means changes the characteristics of a basic game image.

The second image component may be in the form of an animated or fixed character.


The transparency of the second image component may vary dependent on whether or not the change of the basic game image results in a winning combination on the gaming console.

According to a sixth aspect, the present invention includes a gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed in predefined symbol display positions on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterized in that displayed images include a first image component comprising symbols which display basic game features, and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the game control means receives inputs from a player interface including a touch sensor provided on the electronic display means and the game control means prevents play of the game when the second image component is displayed on the display means.

The second image component may be a window displayed behind a touch sensor and the game control means may prevent play of the game until after it receives a signal from the touch sensor indicating that it has been touched.



The second image component may display a message to the player about an available option or feature on the gaming console. The second image component may instead display a message to the player to indicate a condition or mode of the gaming console.



(The next page is page 5)

5  
5  
5  
5  
5

### **Brief Description of the Drawings**

An embodiment of the invention will now be described, by way of example with reference to the accompanying drawings, in which:-

Figure 1 illustrates a gaming console with a video simulation of a rotating reel display incorporating a first embodiment of the invention;

Figure 2 is a schematic diagram of a gaming console control circuit;

Figure 3 illustrates an embodiment of the invention in which the transparent second image is displayed on the display means and superimposed on elements of the first image; and

Figure 4 illustrates an embodiment of the invention in which the second image component functions as a message to the player.

### **Detailed Description of the Preferred Embodiments**

In the following detailed description the methodology of the embodiments will be described, and it is to be understood that it is within the capabilities of the non-inventive worker in the art to introduce the methodology on any standard microprocessor-based gaming console by means of appropriate programming.

Referring to Figure 1 of the drawings, the first embodiment of the invention is illustrated in which a gaming console 40, of the type having a video display screen 41 which displays a plurality of rotatable reels 42 carrying symbols 43, is arranged to pay a prize on the occurrence of a predetermined symbol or combination of symbols.

In the gaming console 40 illustrated in Figure 1, the game is initiated by a push button 44, however, it will be recognised by persons skilled in the art that this operating mechanism might be replaced by a pull handle or other type of actuator in other embodiments of the invention. The top box 45 on top of the gaming console 40 carries the artwork panel 35 which displays the various winning combinations for which a prize is paid on this console.

The program which implements the game and game feature is run on a standard gaming console control processor 100 as illustrated schematically in Figure 2. This processor forms part of a controller 110 which drives the video display screen 141 and receives input signals from sensors 144. The sensors 144 may be touch sensors, a pull handle or another type of actuator in other embodiments of the invention. The controller 110 also receives input signals from a mechanism 120 indicating the user has provided sufficient credit to begin playing. The mechanism 120 may be a coin input

chute, a credit card reader, or other type of validation device. The controller 120 further drives a payout mechanism 130 which for example may be a coin output.

The game played on the console shown in Figures 1 and 2 is a relatively standard game which includes a 3 by 5 symbol display and allows multiple pay lines. The game also includes a special feature embodying the invention, the special feature being that the displayed images include a first image component which displays basic game features and a second image component which displays image features which appear superimposed on the first image component, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means.

Figure 3 shows an embodiment of the invention in which the transparent second image component 50 appears superimposed over elements 31 of the first image. The second image component 50 does not prevent the user from determining the type of the symbol(s) "underneath" it. In this case the second image component 50 appears as an animated ghostlike character, and may be animated by its arms waving to the user or pointing at particular features on the screen, or it may be animated as it moves about the screen. Furthermore, the transparency of the ghostlike character 50 may vary. For example, if the character 50 moves about the screen to a position where it is located close to a certain image, for example a ghoul, the character 50 may be animated to appear shocked or scared, and to further become pale and highly transparent in response, possibly to the point of only just being visible to the user as a faint ghostly image. On the other hand, if for example the second image 50 moves to a position where it creates a winning combination, it may be animated to appear to be happy that the user has won, and it may become less transparent, and more solid and visible to the user. The transparency of the second image 50 may also be continuously varying, such that the image 50 will appear to flash or pulse, which will attract the user's eye to the current feature of interest.

Figure 4 shows an embodiment in which the second image component 50 has been displayed in response to a mode of the console, in this case the console has been reserved. As the second image component 50 is transparent it serves both the function of informing potential users that the console is unavailable to them, while still allowing potential users to see the features

and symbols 31 of the game "through" the reserved sign, thereby attracting potential users for the future. Although the second image component is static in Figure 4, it may alternatively be animated in various ways. For example, in a game with a vampire theme, the "reserved" sign may be animated in such a way that it appears to slowly drip blood, and an image of a pool of blood may gradually grow or collect at the bottom of the screen.

Although the invention has been described with reference to particular examples of the invention, it should be appreciated that it may be exemplified in other forms. For instance, the second image component can take various forms such as a fixed character, a window or a graphic and may be used to indicate a feature game or special prize, or a message to the player about an available option or feature, a condition or mode of the console, or a service message broadcast by the establishment in which the console is installed.

The present invention is applicable to video gaming consoles of the traditional poker machine style (also known as slot machines or fruit machines) in which the display means comprises a video simulation of a set of rotatable reels, each carrying a plurality of symbols. The invention is equally applicable to video draw poker consoles in which a poker hand is displayed on a screen, the cards of the hand being selected from a standard 52 or 53 card deck.

It will be appreciated by persons skilled in the art that numerous variations and/or modifications may be made to the invention as shown in the specific embodiments without departing from the spirit or scope of the invention as broadly described. The present embodiments are, therefore, to be considered in all respects as illustrative and not restrictive.

## THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

1. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display and wherein the transparency of the second image component is varied when the second image component is displayed on the display means.
2. The gaming console according to claim 1 wherein the second image component takes the form of an animated or fixed character.
3. The gaming console according to claim 1 wherein the second image component takes the form of a window or a graphic.
4. The gaming console according to any one of claims 1 to 3 wherein the second image component is used to indicate a feature game.
5. The gaming console according to any one of claims 1 to 4 wherein the second image component is used to indicate a special prize.
6. The gaming console according to any one of claims 1 to 5 wherein the second image component is used to indicate a message to the player about an available option or feature.
7. The gaming console according to any one of claims 1 to 6 wherein the second image component is used to indicate a condition or mode of the console.
8. The gaming console according to any one of claims 1 to 7 wherein the second image component is used to indicate a service message broadcast by the establishment in which the console is installed.

9. The gaming console according to any one of claims 1 to 8 wherein the second image component takes the form of a sprite.

10. The gaming console according to any one of claims 1 to 9 wherein the second image component appears during a game and moves about the screen to indicate special symbols.

5 11. The gaming console according to any one of claims 1 to 10 wherein the second image component draws attention to function indicators such as "reserved" indicators, message text or boxes containing message text, broadcasting service messages such as operating hours, coming attractions (theatre performances etc.) or bonus prize periods.

10 12. The gaming console according to any one of claims 1 to 11 wherein the transparency of the second image component is varied dependent on the plurality of symbols that have been randomly selected and displayed on the electronic display means when the second image component is displayed.

15 13. The gaming console according to any one of claims 1 to 12 wherein the second image component is varied in transparency from "solid" where the underlying first image component is totally obliterated, to a faint ghost like image where the underlying first image component is clearly visible through the second image component.

14. The gaming console according to any one of claims 1 to 13 wherein the second image moves about the screen.

20 15. The gaming console according to any one of claims 1 to 14 wherein the second image component takes the form of an animated character.

16. The gaming console according to claim 15 wherein the second image is animated such that it is moved from one location to another via an animated walking motion.

17. The gaming console according to claim 15 or 16 wherein the second image is animated such that it reacts to certain stimuli.

25 18. The gaming console according to claim 17 wherein the second image is animated such that, in a game with a ghoulish theme, the second image is animated to appear frightened when it is situated next to a particular game symbol.

19. The gaming console according to claim 17 or claim 18 wherein the second image component is animated such that, when the second image component is acting as a wild



card symbol, the second image component appears happy and excited when it causes winning combinations to occur.

20. The gaming console according to any one of claims 1 to 11 wherein the second image component is static.

5 21. The gaming console according to any one of claims 1 to 20 wherein the gaming console is of the traditional poker machine style in which the electronic display means comprises a video simulation of a set of rotatable reels, each carrying a plurality of symbols.

22. The gaming console of any one of claims 1 to 21 wherein the gaming console is a video draw poker console in which a poker hand is displayed on a screen, the cards of the hand being selected from a standard 52 or 53 card deck.


10 23. The gaming console according to any preceding claim, wherein the occurrence of the second image is triggered by the occurrence of a special symbol or a predetermined combination of special symbols displayed in a particular arrangement.

15 24. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images

20 include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image

25 component and the second image component are displayed on the same electronic display, and wherein the game control means prevents play of the game when the second image component is displayed on the electronic display.

25. The gaming console of claim 24, wherein the second image component includes a broadcast message received by the console.



26. The gaming console of claim 24 or claim 25, wherein the second image component is static.

27. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display, and wherein the second image component includes a broadcast message received by the console.

28. The gaming console of claim 27, wherein the second image component is static.

29. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterised in that the displayed images include a first image component which displays basic game features and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and the second image component are displayed on the same electronic display, and wherein the second image component is used to indicate a message to the player about an available option or feature on the gaming console.

30. The gaming console of claim 29, wherein the game control means prevents play of the game when the second image component is displayed on the display means.

31. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed in predefined symbol display positions on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterized in that displayed images include a first image component comprising symbols which displays basic game features, and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the first image component and second image component are displayed on the same electronic display, the characteristics of a basic game image over which the second image component is superimposed is changed by the game control means such that the result of a game played on the console is changed in at least some plays of the game by the second image component.



32. The gaming console of claim 31, wherein the second image component is unconstrained by the symbol display positions and when appearing, moves apparently randomly across the display to one or more superimposed positions above the first image component before the game control means changes the characteristics of a basic game image.



33. The gaming console of claim 31 or claim 32, wherein the second image component is in the form of an animated or fixed character.

34. The gaming console of any one of claims 31 to 33, wherein the transparency of the second image component varies dependent on whether or not the change of the basic game image results in a winning combination on the gaming console.

35. A gaming console having an electronic display means, and a game control means arranged to control images displayed on the electronic display means, the game control means being arranged to play a game wherein a plurality of symbols are randomly selected and displayed in predefined symbol display positions on the electronic display means and, if a winning combination results, the gaming console pays a prize, the game being characterized in that displayed images include a first image component comprising symbols

which displays basic game features, and a second image component which displays non-basic image features which appear superimposed on the first image component and are additional to the basic game features, the second image component being transparent, whereby the first image component is visible through the second image component under the control of the control means, wherein the game control means receives inputs from a player interface including a touch sensor provided on the electronic display means and the game control means prevents play of the game when the second image component is displayed on the display means.

36. The gaming console of claim 35, wherein the second image component is a window displayed behind the touch sensor.

37. The gaming console of claim 36, wherein the game control means prevents play of the game until after it receives a signal from the touch sensor indicating that it has been touched.


38. The gaming console of any one of claims 35 to 37, wherein the second image component displays a message to the player about an available option or feature on the gaming console.

39. The gaming console of any one of claims 35 to 37, wherein the second image component displays a message to the player to indicate a condition or mode of the gaming console.

40. A gaming console substantially as herein described and with reference to Figures 3 and 4 of the accompanying drawings.



8  
7  
6  
5  
4  
3  
2  
1






FIG. 2




FIG. 3




FIG. 4

8  
9  
0  
1  
2  
3  
4